

DOCKET NO. 02-048US
Customer NO. 35,320

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

AMENDED APPEAL BRIEF

In re application of:	Erickson et al.
Serial No.:	10/627,233
Filed:	July 25, 2003
For:	BENDABLE NEEDLE WITH REMOVABLE STYLET
Group No.:	3738
Confirmation No.:	2444
Examiner:	Christopher D. Prone

MAIL STOP APPEAL BRIEF - PATENTS

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Appellant has appealed to the Board of Patent Appeals and Interferences from the decision of the Examiner dated December 12, 2005, finally rejecting Claims 1-6 and 29-31. Appellant filed a Notice of Appeal on March 10, 2006. Appellant respectfully submits this amended appeal brief in response to the notice of non-compliant appeal brief, dated 08/02/2006.

(i) REAL PARTY IN INTEREST

The real party in interest is Advanced Neuromodulation Systems, Inc, which is a wholly owned subsidiary of St. Jude Medical, Inc.

(ii) RELATED APPEALS AND INTERFERENCES

There are no known appeals or interferences that will directly affect, be directly affected by, or have a bearing on the Board's decision in this pending appeal.

(iii) STATUS OF CLAIMS

Claims 1-6 and 29-31 have been rejected (under 35 U.S.C. § 102(b)) pursuant to a final Office Action dated December 12, 2005. Claims 1-6 and 29-31 are the claims being appealed.

Claims 8-21 and 24-28 have been cancelled. Claims 7, 22, and 23 are withdrawn from consideration due to a restriction requirement.

A copy of the claims is provided in an accompanying appendix.

(iv) STATUS OF AMENDMENTS

No amendments to the claims were submitted after issuance of the final Office Action dated December 12, 2005.

(v) SUMMARY OF CLAIMED SUBJECT MATTER

As recited in independent claim 1, a bendable needle system comprises: a bendable tubular needle (see FIGS. 1A and 1B) having at least one sharp cutting end (see element 14 in FIG. 1); and a removable stylet (see the stylet in FIG. 2). *See* page 9, lines 1-6 (paragraph [0032]). The removable stylet further comprises a flexible stylet body (see coil 22 in FIG 2 and page 10, lines 1-9 (paragraph [0036])) that allows the stylet to bend within the bendable tubular needle; and a tip that aligns flush to the sharp cutting end (see tip 18 in FIG. 2 and page 11, lines 4-12 (paragraph [0040])). The bendable tubular needle is bendable by manual manipulation when the removable stylet is inserted in the bendable tubular needle and the removable stylet remains removable from the bendable tubular needle after the bendable tubular needle is bent. Page 10, lines 1-9 and 15-26; and page 12, line 9 through page 13, line 3 (paragraphs [0036], [0038], [0044], and [0045]).

As recited in independent claim 29, a bendable needle system comprises: (i) a bendable tubular needle having a sharp cutting end (element 14 in FIG. 1) at a distal end and a hollow fitting structure (see fitting 20 in FIG. 1) at a proximal end; (ii) a removable stylet of variable length (see coil 22 in FIG. 2). The stylet comprises (a) a fitting structure (see fitting 20 in FIG. 2 and page 10, lines 1-9 (paragraph [0036])) adapted to mate with the hollow fitting structure; (b) a flexible stylet body that allows the stylet to bend (page 12, line 24 - page 13, line 3 (paragraph [0045])); and (c) a tip. When mated, the fitting structure compresses the flexible stylet body to maintain the tip in an alignment against the sharp cutting to form a flush surface (see coil 22 in FIG 2; FIGS. 7A and 7B; page 10, lines 1-9 and lines 15-26; page 12, line 9 through - page 13, line 3 (paragraphs [0036], [0038] and [0044], and [0045])). Also, the bendable tubular needle is bendable by manual manipulation and the removable stylet remains removable from the bendable tubular needle after the bendable tubular needle is bent (page 12, line 9 - page 13, line 3 (paragraphs [0044], and [0045])).

(vi) GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL

The rejection of claims 1-6 and 29-31 under 35 U.S.C. § 102(b) as being anticipated by U.S. Patent No. 3,608,539 to Miller (hereinafter referred to as "Miller") is the rejection to be reviewed on appeal.

(vii) ARGUMENT

REJECTION UNDER 35 U.S.C. § 102(B) FOR ANTICIPATION BY MILLER


Claims 1-6 and 29-31 are rejected under 35 U.S.C. § 102(b) as being anticipated by Miller.

Appellant respectfully submits that Miller does not anticipate claims 1-6 and 29-31 and requests reversal of the rejection.



A. INDEPENDENT CLAIM 1 AND DEPENDENT CLAIMS 2, 3, 5, and 6

A prior art reference anticipates a claimed invention under 35 U.S.C. § 102 only if every element of the claimed invention is identically shown in that single reference, arranged as they are in the claims. (*MPEP* § 2131; *In re Bond*, 910 F.2d 831, 832, 15 U.S.P.Q.2d 1566, 1567 (*Fed. Cir.* 1990)). Anticipation is only shown where each and every limitation of the claimed invention is found in a single prior art reference. (*MPEP* § 2131; *In re Donohue*, 766 F.2d 531, 534, 226 U.S.P.Q. 619, 621 (*Fed. Cir.* 1985)).

Miller discloses an instrument for conducting a biopsy of subcutaneous masses. *See* Abstract of Miller. There are three separate structures disclosed in Miller for conducting the biopsy. The first structure is arcuate cannula 11 having a serrated distal cutting end which is shown in FIG. 1 of Miller and reproduced below.



Miller further discloses stylet 12 (also referred to as a "piercing" member 12) which, in use, is inserted in the bore of cannula 11. Specifically, cannula 11 with stylet 12 placed therein is inserted in the patient to access the mass to be biopsied. Stylet 12 is shown in isolation in FIG. 2 of Miller and the top of cannula 11 with stylet 12 inserted therein is shown in FIG 4 as reproduced herein below. Rod 20 (as shown in FIG. 4) of stylet 12 is specifically disclosed by Miller as being a rod of stainless steel of 2 millimeters in diameter. Col. 2, lines 70-71.



During the biopsy procedure, cannula 11 and stylet 12 are advanced through the skin toward the mass to be biopsied. When the mass is reached, stylet 12 is removed and the cannula 11 is advanced until cannula 11 exits the skin at another location. By continuing to advance cannula 11 without stylet 12 inserted therein, a tissue sample of the mass is obtained. Then ejector member 13

(as shown in FIG. 3 and reproduced below) is advanced through cannula 11 to force the tissue sample out of cannula 11. Ejector member 13 is merely described as a flexible rod or wire such as a Teflon rod. Col. 2, lines 59-63.



Claim 1 recites:

a removable stylet inserted in a hollow interior of the bendable tubular needle, wherein the removable stylet further comprises:

a flexible stylet body that allows the stylet to bend within the bendable tubular needle; and

a tip that aligns flush to the sharp cutting end of the bendable tubular needle;

wherein the bendable tubular needle is bendable by manual manipulation when the removable stylet is inserted in the bendable tubular needle and the removable stylet remains removable from the bendable tubular needle after the bendable tubular needle is bent.

There are only two possible structures in Miller that could be proposed to satisfy the “removable stylet” limitation of claim 1. These structures are stylet 12 of Miller and ejector member 13 of Miller. However, neither of these structures satisfy all of the elements of the recited “removable stylet” of claim 1.

Appellant respectfully submits that the rejection impermissibly mixes, matches, and combines the characteristics of the two different structural elements of Miller. However, the elements shown in an applied reference under 35 U.S.C. § 102 must be arranged exactly as required by the claim. *In re Bond*, 910 F.2d 831, 15 USPQ2d 1566 (Fed. Cir. 1990).

Appellant notes that claim 1 requires a “removable stylet” which, in turn, comprises “a flexible stylet body” and “a tip that aligns flush to the sharp cutting edge of the bendable tubular needle.” Furthermore, claim 1 recites “wherein the bendable tubular needle is bendable by manual

manipulation when the removable stylet is inserted in the bendable tubular needle and the removable stylet remains removable from the bendable tubular needle after the bendable tubular needle is bent.”

Appellant submits that there is no single flexible stylet in Miller that satisfies all of these requirements.

Appellant submits that stylet 12 of Miller does not satisfy these requirements of the removable stylet as recited in claim 1. First, stylet 12 is explicitly described by Miller as being constructed of “stainless steel of 2 millimeters in diameter.” Col. 2, lines 70-72. There is no evidence or reason to believe that, when stylet 12 is placed within cannula 11 of Miller and cannula 11 is bent, stylet 12 would be removable from cannula 11. Instead, Appellant respectfully submits that, because both cannula 11 and stylet 12 are stainless steel elements, stylet 12 would be retained in cannula 11. *See* paragraphs [0005] and [0006] of the present application. Instead, Appellant submits that stylet 12 would be “stuck” in cannula 11 as described in regard to the discussion of convention needle designs in the present application.

Additionally, Appellant respectfully submits that “ejector member 13” does not satisfy the requirements of the removable stylet of claim 1. Specifically, Miller explicitly states that ejector member 13 is “[a] blunt ended flexible ejector”. Col. 1, lines 70-71 (emphasis added). Thus, ejector member 13 cannot be fairly said to include “a tip that aligns flush to the sharp cutting edge of the bendable tubular needle” as recited by claim 1.

Because there is no structure in Miller that possesses all of the recited elements of the “removable stylet” of claim 1, Miller does not anticipate claim 1. Claims 2, 3, 5, and 6 depend from claim 1 and are, likewise, not anticipated by Miller.

B. INDEPENDENT CLAIM 29 AND DEPENDENT CLAIM 31

Claim 29 recites:

a bendable tubular needle having a sharp cutting end at a distal end and a hollow fitting structure at a proximal end;
a removable stylet, of variable length, inserted in a hollow interior of the bendable tubular needle, wherein the removable stylet further comprises:
a fitting structure adapted to mate with the hollow fitting structure of the bendable tubular needle;
a flexible stylet body that allows the stylet to bend within the bendable tubular needle, wherein the flexible stylet body aids in maintaining patency of the bendable tubular needle when the bendable tubular needle is bent; and
a tip, wherein the fitting structure, when mated with the hollow fitting of the bendable tubular needle, compresses the flexible stylet body to maintain the tip in an alignment against the sharp cutting end to form a flush surface at the distal end of the bendable tubular needle;
wherein the bendable tubular needle is bendable by manual manipulation when the removable stylet is inserted in the bendable tubular needle and the removable stylet remains removable from the bendable tubular needle after the bendable tubular needle is bent.

For the reasons discussed above in regard to claim 1, Appellant submits that claim 29 is not anticipated by Miller.

Also, there is no disclosure in Miller of a flexible stylet “of variable length.” Miller only discloses stylet 12 and ejector member 13. Stylet 12 is disclosed as including rod 20 of stainless steel which clearly is not “of variable length.” Ejector member 13 is only disclosed as being formed of Teflon rod or a wire having an outside diameter about equal to the inside diameter of the cannula of Miller. Col. 2, lines 59-63. There is no basis in Miller to conclude that the Teflon rod or wire is of “variable length.”

The rejection argues that the stylet of Miller is inherently of “variable length,” because the operator would select the appropriate size for the patient being operated on. Office Action, page 3. This argument is insufficient to support a rejection under 35 U.S.C. § 102, because the proffered circumstance merely involves selecting a different stylet of a longer or shorter fixed length. The proffered circumstance does not encompass a single stylet of variable length. Additionally, there is no actual basis in Miller for the assertion that multiple stylets of different lengths are provided for selection by the physician.

The rejection further asserts that ejector member 13 of Miller is coiled and, hence, is compressible. However, there is no basis in Miller to support the assertion that ejector member 13 is coiled. Miller only states that ejector member 13 could be formed of Teflon rod or a wire having an outside diameter about equal to the inside diameter of the cannula of Miller. Col. 2, lines 59-63.

Additionally, there is no disclosure that ejector member 13 is “compressible” to “maintain the tip in an alignment against the sharp cutting end to form a flush surface at the distal end of the bendable tubular needle.” Also, as previously noted, ejector member 13 merely possesses a “blunt” surface and does not fit “flush” against a sharp cutting end. The stainless steel construction of stylet 12 of Miller is clearly not capable of being “compressed” in the manner recited by claim 29.

Furthermore, there is no disclosure that either stylet 12 or ejector member 13 are adapted to mate with a structure on the tubular needle so as to compress the variable length body of the removable stylet.

Therefore, claim 29 is not anticipated by Miller. Claim 31 depends from claim 29 and is likewise not anticipated by Miller.

C. CLAIM 4

Claim 4 depends from claim 1 and is not anticipated by Miller for the reasons discussed above in regard to claim 1.

Claim 1 further recites “wherein the flexible stylet body further comprises a coil.”

Stylet 12 and ejector member 13 of Miller are not described as comprising a coil. Stylet 12 is described as including rod 20 of stainless steel. Ejector member 13 is only described as being formed of a rod or wire.

Accordingly, Miller does not disclose a flexible stylet body that comprises a coil and, hence, does not anticipate claim 4.

D. CLAIM 30

Claim 30 depends from claim 29 and is not anticipated by Miller for the reasons discussed above in regard to claim 29.

Claim 30 further recites "wherein the flexible stylet body comprises a coil."

Stylet 12 and ejector member 13 of Miller are not described as comprising a coil. Stylet 12 is described as including rod 20 of stainless steel. Ejector member 13 is only described as being formed of a rod or wire.


Accordingly, Miller does not disclose a flexible stylet body that comprises a coil and, hence, does not anticipate claim 30.

CONCLUSION

Appellant has demonstrated that the present invention as claimed is not anticipated by Miller. Therefore, Appellant respectfully requests the Board of Patent Appeals and Interferences to reverse the final rejection of the Examiner and instruct the Examiner to issue a notice of allowance of all claims.

Respectfully submitted,

Date: 09-01-2006


Christopher S.L. Crawford
Registration No. 51,586
Advanced Neuromodulation Systems
6901 Preston Road
Plano, TX 75024
(972) 309-8006 (direct dial)
(972) 526-9796 (fax)

(viii) CLAIMS APPENDIX

1. (Previously Presented) A bendable needle system, comprising:

a bendable tubular needle having at least one sharp cutting end; and

a removable stylet inserted in a hollow interior of the bendable tubular needle, wherein

the removable stylet further comprises:

a flexible stylet body that allows the stylet to bend within the bendable tubular needle;

and

a tip that aligns flush to the sharp cutting end of the bendable tubular needle;

wherein the bendable tubular needle is bendable by manual manipulation when the
removable stylet is inserted in the bendable tubular needle and the removable stylet remains
removable from the bendable tubular needle after the bendable tubular needle is bent.
2. (Original) The bendable needle system of claim 1, further comprising a fitting
coupled to a non-cutting end of the hollow interior of the needle.
3. (Original) The bendable needle system of claim 2, wherein the fitting comprises a
handle, and wherein an object may be inserted into the hollow interior of the bendable tubular
needle via a passage within the fitting.

4. (Original) The bendable needle system of claim 1, wherein the flexible stylet body further comprises a coil.

5. (Original) The bendable needle system of claim 1, wherein the flexible stylet body further comprises a flexible rod.

6. (Original) The bendable needle system of claim 1, wherein the flexible stylet body further comprises a flexible tube.

7. (Withdrawn) The bendable needle system of claim 1, wherein a cross-section of the hollow interior comprises a shape in which a plurality of points along the shape's perimeter are not equidistant from a longitudinal axis of the bendable tubular needle.

8-21. (Cancelled)

22. (Withdrawn) The bendable needle system of claim 1, wherein said sharp cutting end is oval.

23. (Withdrawn) The bendable needle system of claim 7, wherein said cross-section of said hollow interior is oval in shape.

24-28. (Cancelled)

29. (Previously Presented) A bendable needle system, comprising:

a bendable tubular needle having a sharp cutting end at a distal end and a hollow fitting structure at a proximal end;

a removable stylet, of variable length, inserted in a hollow interior of the bendable tubular needle, wherein the removable stylet further comprises:

a fitting structure adapted to mate with the hollow fitting structure of the bendable tubular needle;

a flexible stylet body that allows the stylet to bend within the bendable tubular needle, wherein the flexible stylet body aids in maintaining patency of the bendable tubular needle when the bendable tubular needle is bent; and

a tip, wherein the fitting structure, when mated with the hollow fitting of the bendable tubular needle, compresses the flexible stylet body to maintain the tip in an alignment against the sharp cutting to form a flush surface at the distal end of the bendable tubular needle;

wherein the bendable tubular needle is bendable by manual manipulation when the removable stylet is inserted in the bendable tubular needle and the removable stylet remains removable from the bendable tubular needle after the bendable tubular needle is bent.

30. (Previously Presented) The bendable needle system of claim 29 wherein the flexible stylet body comprises a coil.

31. (Previously Presented) The bendable needle system of claim 29 wherein a cross-section of the hollow interior is oval in shape.

DOCKET NO. 02-064CIP (ANSI01-00012)
SERIAL NO. 09/500,213
PATENT

(ix) EVIDENCE APPENDIX

(NONE)

(x) RELATED PROCEEDINGS APPENDIX

(NONE)